

RESOLUTION NO. 19-175

**RESOLUTION AUTHORIZING THE PURCHASE OF A DUMP TRUCK
THROUGH NATIONAL JOINT POWER ALLIANCE (NJPA) COOPERATIVE
PURCHASING SYSTEM AKA SOURCEWELL**

WHEREAS, the City of Woodbury is in need of a dump truck; and

WHEREAS, pursuant to Resolution No. 16-116, the City of Woodbury is a member of the National Joint Powers Alliance (NJPA) Cooperative Purchasing System; and

WHEREAS, N.J.S.A. 52:34-6.2, as amended by P.L. 2011, c.139, authorizes the City to purchase goods or to contract for services through the use of a nationally-recognized and accepted cooperative purchasing system that has been developed utilizing a competitive bidding process by another contracting unit within the State of New Jersey, or within any other state, when available; and

WHEREAS, the nationally-recognized National Joint Powers Alliance ("NJPA") cooperative purchasing system, located in Minnesota, offers voluntary participation in its cooperative purchasing system for the purchase of goods and services from NJPA vendors; and

WHEREAS, the City of Woodbury wishes to purchase the following items through the NJPA vendor, Hunter's Truck S&S, 2320 High Hill Road, Logan Township, NJ 08085
2018 7400 SFA 4X2


WHEREAS, the CFO has certified the availability of funds for such purchases, under Bond Ordinance 2313-19 Section 7c budget account C-10-19-313-030 in the amount of \$168,533.00;

NOW, THEREFORE, BE IT RESOLVED by the Council of the City of Woodbury, the Mayor concurring, that the Mayor, Administrator and/or CFO are hereby authorized to execute such documents as necessary to effectuate the purchase of the above-referenced Dump Truck through NJPA for a total purchase price not-to-exceed \$168,533.00.

ADOPTED at the regular meeting of the Mayor and City Council of the City of Woodbury held on November 26, 2019.

CITY OF WOODBURY

By:


TRACEY PARKER
President of Council

ATTEST:


DANEEN FUSS, City Clerk

Council Member	Ayes	Nays	Abstain	Absent
Councilwoman Carter	✓			
Councilman Fleming				✓
Councilman Hagerty	✓			
Councilman Johnson	✓			
Councilman McIlvaine	✓			
Councilwoman Miller	✓			
Councilwoman O'Connor	✓			
Councilwoman Tierney	✓			
Council President Parker	✓			
Mayor Floyd				

CERTIFICATION

I, Daneen D. Fuss hereby certify that the foregoing Resolution was adopted by the City Council, of the City of Woodbury, in the County of Gloucester and State of New Jersey at a meeting held on **November 26, 2019** at the Municipal Building, 33 Delaware Street, Woodbury, New Jersey 08096.



Daneen D. Fuss
City Clerk



NJPA VENDOR CONTRACT SUMMARY – Navistar

DATE November 15, 2016	RFP # 081716
AWARDED CONTRACT NUMBER 081716-NVS	NJPA RFP TITLE & CATEGORY CLASS 6, 7, AND 8 CHASSIS WITH RELATED EQUIPMENT, ACCESSORIES, AND SERVICES
CONTRACT PERIOD November 15, 2016 – November 15, 2020	PRICING MODEL Percent Discount Off List: 31%-47%
DESCRIPTION Class 6-8 Chassis	
VENDOR NAME AND ADDRESS Navistar 2701 Navistar Drive Lisle, IL 60532 www.navistar.com	VENDOR CONTACT Martin White 331-332-2370 martin.white@navistar.com

NJPA CONTRACTS CONSIST OF THE FOLLOWING DOCUMENTS "Contract" as used herein shall mean this RFP, pricing, and fully executed forms P, C, D and E ("Acceptance and Award") with final terms and conditions. <u>Request for Proposal (RFP)</u> <u>Contract Acceptance & Award</u> Pricing and Forms P and C - Available upon request from the NJPA Contract Manager	RELATED CONTRACT DOCUMENTATION <u>Affidavit of Advertisement</u> <u>Proposal Opening Witness Page</u> <u>Proposal Evaluation</u>
--	--

NJPA INFORMATION

NJPA CONTACT Andy Campbell	TITLE NJPA Contract Administrator
PHONE 218-895-4145	EMAIL Andy.campbell@njpacoop.org
ADDRESS 202 12th Street NE, P.O. Box 219, Staples, MN 56479	WEBSITE www.njpacoop.org

National Joint Powers Alliance®

Contract Purchasing Department



Prepared For:
City of Woodbury
Purchasing Agent
33 Delaware St.
Woodbury, NJ 08096-5993
(856)845 - 1300
Reference ID: N/A

Presented By:
HUNTER'S TRUCK S&S
Tom Grogan II
2320 HIGH HILL RD.
LOGAN TOWNSHIP NJ 080854538
856-241-8890

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2018 7400 SFA 4X2 (SA525)



APPLICATION: Side-Loader, automatic
MISSION: Requested GVWR: 37000. Calc. GVWR: 39000
 Calc. Start / Grade Ability: 41.77% / 2.59% @ 55 MPH
 Calc. Geared Speed: 72.6 MPH
DIMENSION: Wheelbase: 160.00, CA: 85.00, Axle to Frame: 96.00
ENGINE, DIESEL: {Cummins L9 300} EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)
TRANSMISSION, AUTOMATIC: {Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
CLUTCH: Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING: {Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity
AXLE, REAR, SINGLE: {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends Gear Ratio: 5.63
CAB: Conventional, Day Cab
TIRE, FRONT: (2) 315/80R22.5 Load Range J UNISTEEL G291 (GOODYEAR), 491 rev/mile, 75 MPH, All-Position
TIRE, REAR: (4) 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, SINGLE: 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs
PAINT: Cab schematic 100GM
 Location 1: 9219, Winter White (Std)
 Chassis schematic N/A

Description

Base Chassis, Model 7400 SFA 4X2 with 160.00 Wheelbase, 85.00 CA, and 96.00 Axle to Frame.

TOW HOOK, FRONT (2) Frame Mounted

FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.437" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL

BUMPER, FRONT Swept Back, Steel, Heavy Duty

Includes

: BUMPER, FRONT Powder Coated Gray (Argent) Color

CROSSMEMBER, REAR, AF (1)

FRAME EXTENSION, FRONT Integral; 20" In Front of Grille

WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)

AXLE, FRONT NON-DRIVING {Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

SPRINGS, FRONT AUXILIARY Rubber

SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 16,000-lb Capacity, with Shock Absorbers

Includes

: SPRING PINS Rubber Bushings, Maintenance-Free

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

BRAKE SYSTEM, AIR Dual System for Straight Truck Applications

Includes

: BRAKE LINES Color and Size Coded Nylon

: DRAIN VALVE Twist-Type

: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster

: PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel

: PARKING BRAKE VALVE For Truck

: QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4

: SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)

: SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)

: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6

Notes

: Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered

BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck

DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank

Includes

: DRAIN VALVE Mounted in Wet Tank

AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control

Description

AIR DRYER (Bendix AD-IP) with Heater

Includes

: AIR DRYER LOCATION Inside Left Rail, Back of Cab

BRAKE CHAMBERS, REAR AXLE (MGM TR3030LP3TSHD) 30/30 Spring Brake

Includes

: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb.

BRAKE CHAMBERS, FRONT AXLE (Bendix) 24 SqIn

BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

AIR COMPRESSOR (Cummins) 18.7 CFM

DUST SHIELDS, FRONT BRAKE for Air Brakes

DUST SHIELDS, REAR BRAKE for Air Brakes

STEERING COLUMN Tilting

STEERING WHEEL 2-Spoke, 18" Dia., Black

STEERING GEAR (2) (Sheppard M100/M80) Dual Power

AFTERTREATMENT COVER Aluminum

EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab

TAIL PIPE (1) Turnback Type

EXHAUST HEIGHT 8' 10"

MUFFLER/TAIL PIPE GUARD (1) Aluminum

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

Includes

: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab

: HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover

: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever

: HEADLIGHTS (2) Halogen, Round, with Chrome Plated Bezels

: JUMP START STUD Located on Positive Terminal of Outermost Battery

: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light

: STARTER SWITCH Electric, Key Operated

: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector

: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature

: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever

: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted

: WIRING, CHASSIS Color Coded and Continuously Numbered

CIGAR LIGHTER Includes Ash Cup

POWER SOURCE Cigar Type Receptacle without Plug and Cord

BATTERY TERMINALS Sealed

ALTERNATOR (Delco Remy 36SI) Brushless, 12 Volt 165 Amp. Capacity, Pad Mount, with Remote Voltage Sensor

Description

BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn

ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket

BATTERY SYSTEM {International} Maintenance-Free, (4) 12-Volt 2600CCA Total, Top Threaded Stud

2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab

RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control, with Multiple Speakers

BACK-UP ALARM Electric, 102 dBA

AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications

TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch

STOP, TURN, TAIL & B/U LIGHTS {Weldon} Multi-Function LED Lamp, Mounted Inside Rails, Includes LED License Plate Light

HORN, ELECTRIC Disc Style

BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab

JUMP START STUD Remote Mounted

Includes

: JUMP START STUD Mounted to Battery Box

WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time

CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade

TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights

HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on

STARTING MOTOR {Delco Remy 39MT} 12 Volt, Gear Reduced, with Thermal Over-Crank Protection

COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side

Notes

: Feature included with CAB INTERIOR TRIM, Premium

HORN, AIR (2) Single Tone, Rectangular; Chrome. Roof Mounted

INDICATOR, LOW COOLANT LEVEL with Audible Alarm

HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position

ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened

CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses

TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender

LOGOS EXTERIOR, ENGINE Badges

HOOD, HATCH (01) for Servicing

INSULATION, UNDER HOOD for Sound Abatement

GRILLE Stationary, Chrome

Description

INSULATION, SPLASH PANELS for Sound Abatement

BUG SCREEN Mounted Behind Grille

FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV

CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails

PAINT SCHEMATIC, PT-1 Single Color, Design 100

Includes

: PAINT SCHEMATIC ID LETTERS "GM"

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

PROMOTIONAL PACKAGE Government and Municipal Silver Package; Two Year Limited Subscription of On-Command Service Information (Formerly Fleet ISIS), and On-Command Parts Information (Formerly Fleet Parts Catalog), Requires Specific Feature Combinations

CLUTCH Omit Item (Clutch & Control)

ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection

BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines

ENGINE, DIESEL {Cummins L9 300} EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)

FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed

Includes

: FAN Nylon

RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core and 1167 SqIn Charge Air Cooler

Includes

: DEAERATION SYSTEM with Surge Tank

: HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps

: RADIATOR HOSES Premium, Rubber

AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control

Includes

: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted

THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel

EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door

ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; with Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines

FEDERAL EMISSIONS {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2017

TRANSMISSION, AUTOMATIC {Allison 3500 RDS} 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway

OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type

TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission

TRANSMISSION OIL Synthetic; 29 thru 42 Pints

ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction

TRANSMISSION TCM LOCATION Located Inside Cab

Description

SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming

PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission

AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends, Gear Ratio: 5.63

Includes

: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance

SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

FUEL TANK STRAPS Bright Finish Stainless Steel

DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab

LOCATION FUEL/WATER SEPARATOR Mounted Outside Left Rail, 15" Back of Cab

FUEL/WATER SEPARATOR {Racor 400 Series,} with Primer Pump, Includes Water-in-Fuel Sensor

FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 70 US Gal (265L), Mounted Left Side, Under Cab

CAB Conventional, Day Cab

Includes

: ARM REST (2) Molded Plastic; One Each Door

: COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window

: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel

: DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted

: GLASS, ALL WINDOWS Tinted

: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side

: GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side

: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color

: STEP (4) Two Steps Per Door

HEATER HOSES Silicone

GRAB HANDLE, CAB INTERIOR (2) Safety Yellow

GAUGE CLUSTER English with English Electronic Speedometer

Includes

: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level

: ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout

: WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)

GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission

GAUGE, OIL TEMP, REAR AXLE

GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel

IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster

GAUGE, DEF FLUID LEVEL

Description

SEAT, DRIVER (National 2000) Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust

Includes

: SEAT BELT 3-Point, Lap and Shoulder Belt Type

MIRROR, CONVEX, LOOK DOWN (Lang Mekra) Right Side, 6" x 10.5"

MIRRORS (2) (Lang Mekra) Styled Rectangular, Power Adjust, Thermostatically Controlled Heated Heads, LED Clearance Lights, Black Heads, Brackets and Arms, Breakaway Type, 7" x 16", Integral Convex Both Sides, for 102" Load Width

SEAT, TWO-MAN PASSENGER (National) Fixed Back, Integrated Headrest in Both Occupant Positions, Vinyl, with Under Seat Storage Compartment

SEAT BELT All Orange; 1 to 3

WINDSHIELD Heated, Single Piece

ARM REST, RIGHT, DRIVER SEAT

AIR CONDITIONER (Blend-Air) with Integral Heater and Defroster

Includes

: HEATER HOSES Premium

: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps

: REFRIGERANT Hydrofluorocarbon HFC-134A

CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator

Notes

: Feature included with CAB INTERIOR TRIM, Premium

HOSE CLAMPS, HEATER HOSE (Breeze) Belleville Washer Type

INSTRUMENT PANEL Center Section, Flat Panel

WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature

HVAC FRESH AIR FILTER

STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door

CAB INTERIOR TRIM Deluxe

Includes

: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering

: CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket

: DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors

: FLOOR COVERING Rubber, Black

: HEADLINER Soft Padded Cloth

: INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section

: STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door

: SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap

CAB REAR SUSPENSION Air Bag Type

SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights

WHEELS, FRONT (Accuride 29039) DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc

WHEELS, REAR (Accuride 29169) DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs

WHEEL GUARDS, FRONT (Accuride) for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel

Description

WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels

BDY INTG, REMOTE POWER MODULE Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches

BDY INTG, PTO ACCOMMODATION for Muncie Lectra Shift PTO Engagement and Disengagement, with Momentary Switch Mounted on Dash; Includes Indicator Light and Audible Alarm in Gauge Cluster (requires 1 Remote Power Module input & 1 output)

(4) TIRE, REAR 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive

(2) TIRE, FRONT 315/80R22.5 Load Range J UNISTEEL G291 (GOODYEAR), 491 rev/mile, 75 MPH, All-Position

Cab schematic 100GM

Location 1: 9219, Winter White (Std)

Chassis schematic N/A

Services Section:

WARRANTY Standard for WorkStar 7300/7400 (4x2, 4x4, 6x4, 6x6), Effective with Vehicles Built January 2, 2015 or Later, CTS-2002U

PREP CHASSIS DOT FIRE EXT TRIANGLE KIT

SUPPLY EQUIPMENT PER HA DEHART QUOTE

<u>Description</u>	<u>(US DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$129,783.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$129,783.00
Total Goods Purchased:		\$76,880.00
Freight Charge	\$2,200.00	
Total Freight:		\$2,200.00
Total Factory List Price Including Freight:		\$208,863.00
Less Customer Allowance:		(\$40,330.00)
Total Vehicle Price:		\$168,533.00
Total Sale Price:		\$168,533.00
Total Per Vehicle Sales Price:		\$168,533.00
Net Sales Price:		\$168,533.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.